

Goodsense Factory price montacarga carretilla forklift truck 8ton 10ton diesel forklift big loading capacity

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Goodsense
- Model Number: FD80
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: Bare packaging
- Delivery Time: 30-40work days
- Payment Terms: T/T



Product Specification

- Model Number: FD80 FD100
- Rated Loading Capacity: 8 TON 10 TON
- Core Components: Gear, Pump, Engine
- Weight (KG): 13100 Kg
- Fork Length: 1520mm
- Fork Width: 175mm
- Overall Dimensions: 4280*2170*2830mm
- Rated Capacity: 13100kg
- Place Of Origin: China
- Brand Name: Goodsense
- Name: Forklift
- Condition: New
- Energy Supply: Reference Introduction
- Advantage: Small Vibration And Noise
- Highlight: goodsense diesel forklift,



More Images



for more products please visit us on rdforklift.com

Product Description

- 1.Wide view mast design, ensure the driver has an excellent view, which makes loading and unloading operations more secure and efficient;
- 2.Load sensing priority steering hydraulic system design, flexible steering, mast lift speed increased by 20%;
- 3.All accessories like engine, gear box are support by domestic and world famous brand, high quality, reliable after-sales;
- 4.The overhead guard adopts the high strength steel sheet to press molding, providing more sophisticated security for the driver, it can also prevent wind and rain.

General	Model			FD100	FD120
	Power Type			Diesel	Diesel
	Rated Capacity		kg	10000	12000
	Load Centre		mm	600	600
Characteristic&Dimension	Lift Height		mm	3000	3000
	Fork Size	L×W×T	mm	1520×175×85	1520×180×100
	Mast Tilt Angle	F/R	Deg	6°/12°	6°/12°
	Fork Overhang (Wheel center to fork face)		mm	739	754
	Ground Clearance(Bottom of mast)		mm	230	230
	Overall Dimension	Length to face of fork(Without fork)	mm	4280	4685
		Overall Width	mm	2170	2200
		Mast Lowered Height	mm	2830	3080
		Mast Extended Height(With backrest)	mm	4335	4500
		Overhead Guard Height	mm	2510	2540
Performance	Turning Radius (outside)		mm	3970	4700
	Speed	Travel (Full load)	km/h	30	30
		Lifting (Full load)	mm/s	270	270
	Max.Gradeability		%	20	20

Chassis	Tyre	Front	mm	9.00-20-14PR	11.00-20-16PR
		Rear	mm	9.00-20-14PR	9.00-20-14
	Wheelbase		mm	2800	3200
	Self weight		kg	13100	14500
Power&Transmission	Battery	Voltage/Capacity	V/Ah	(12/80) x 2	(12/80) x 2
	Engine	Model		6BG1-QC02	QSB4.5-C130
		Manufacture		ISUZU	CUMMINS
		Rated output/r.p.m.	kw	82.4/2000	97/2200
		Rated torque/r.p.m.	N-m	416/1600	622/1500
		No.of Cylinder		6	6
		Bore×Stroke	mm	105×125	107×124
		Displacement	cc	6494	4500
		Fuel Tank Capacity	L	135	150
	Transmission	Type		Hydraulic	Hydraulic
		Stage	FWD/RVS	2/2	2/2



Taizhou Ruidong Import and Export Co., Ltd



18367688514



gjg_0208@163.com



rdforklift.com

Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China